This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Problem Image Mailbox.


Title: "Inhibition of Inflammation Using..."

Inventors: Kevin J. Tracey, et al.



Title: "Inhibition of Inflammation Using..."


Inventors: Kevin J. Tracey, et al.




Title: "Inhibition of Inflammation Using..."

Inventors: Kevin J. Tracey, et al.

Fig. 3




Title: "Inhibition of Inflammation Using..." Inventors: Kevin J. Tracey, et al.





Title: "Inhibition of Inflammation Using..."
Inventors: Kevin J. Tracey, *et al.*






2






Blockade of TNF production in LPS stimulated RAW264.7 cells



Title: "Inhibition of Inflammation Using..." Inventors: Kevin J. Tracey, et al.

B. Dose response blockade of TNF production from LPS stimulated RAW264.7 cells with no pre-Incubation with Compound (VI)



30

20

10

-25


Compound (VI) preincubation time [hours]


A. Percent inhibition TNF-alpha by Compound (VI) after stimulation with LPS for 4 hours ---- 0.1 uM - 10 uM → 1 uM 75 20 25 w inhibition

FIG. 8A

FIG. 8B

Title: "Inhibition of Inflammation Using..."
Inventors: Kevin J. Tracey, et al.





Compound (VI) dosed at 4 mg/kg IP, starting 12 hr post-DSS, bid, for 7 days

FIG. 10

Docket No.: 3268.1005-001 Title: "Inhibition of Inflammation Using..." Inventors: Kevin J. Tracey, *et al*.

